

综上所述,脑外伤后认知功能受损,而HBO治疗可以促进脑损伤大鼠认知功能的恢复,其机制可能与抑制损伤海马区CCL2-CCR2通路有关。但CCL2-CCR2在HBO治疗抑制神经炎症通过哪些途径激发而发挥作用目前尚未见报道,有待于进一步研究。

参考文献

- [1] Feeney DM, Boyeson MG, Linn RT, et al. Responses to cortical injury: I. Methodology and local effects of contusions in the rat[J]. Brain Res, 1981, 211(1):67—77.
- [2] Morris R. Developments of a water-maze procedure for studying spatial learning in the rat[J]. J Neurosci Methods, 1984, 11(1):47—60.
- [3] Liu S, Shen GY, Deng SK, et al. Hyperbaric oxygen therapy improves cognitive functioning after brain injury[J]. Neural Regen Res. 2013, 8(35):3334—3343.
- [4] Jiang JD, Bu XY, Liu M, et al. Transplantation of autologous bone marrow-derived mesenchymal stem cells for traumatic brain injury[J]. Neural Regen Res, 2012, 7(1):46—53.
- [5] 曾玉娥,吴晓牧,杨海玉.乙醇诱导海马损伤与学习记忆功能障碍分子机制关系的研究进展[J].南昌大学学报(医学版),2013, 53(8):77—80.
- [6] Stella F, Cerasti E, Si B, et al. Self-organization of multiple spatial and context memories in the hippocampus[J]. Neurosci Biobehav Rev, 2012, 36(7):1609—1625.
- [7] Wang GH, Zhang XG, Jiang ZL, et al. Neuroprotective effects of hyperbaric oxygen treatment on traumatic brain injury in the rat[J]. J Neurotrauma, 2010, 27 (9):1733—1743.
- [8] Gossett WA, Rockswold GL, Rockswold SB, et al. The safe treatment, monitoring and management of severe traumatic brain injury patients in a monoplace chamber[J]. Undersea Hyperb Med, 2010, 37(1):35—48.
- [9] Fu M, Zhao H, Zhang LD, et al. Effects of hyperbaric oxygen therapy on the brain trauma injury in rabbits with magnetic resonance imaging[J]. Chin Naut Med and Hyperbar Med, 2011, 18(2):82—85.
- [10] Thorn SR. Hyperbaric oxygen: its mechanisms and efficacy [J]. Plast Reconstr Surg, 2011, 127(1):131—141.
- [11] Zhong XG, Wang GH, Li YC, et al. The influences of hyperbaric oxygen on the oxidative stress variables and pro-/anti-inflammatory cytokines in rats after traumatic brain injury[J]. Chin J Appl Physiol, 2010, 26(3):373—375.
- [12] Chen X, Duan XS, Xu LJ, et al. Interleukin-10 mediates the neuroprotection of hyperbaric oxygen therapy against traumatic brain injury in mice[J]. Neuroscience, 2014, 266: 235—243.
- [13] Lim SW, Wang CC, Wang YH, et al. Microglial activation induced by traumatic brain injury is suppressed by post injury treatment with hyperbaric oxygen therapy[J]. J Surg Res, 2013, 184(2):1076—1084.
- [14] 罗宇家,李如波,马诗雨,等. CCR2 和 CCL2 与缺氧缺血性脑损伤的相关性研究进展[J]. 法医学杂志,2016, 32(1):54—57.
- [15] Liu S, Zhang L, Wu Q, et al. Chemokine CCL2 induces apoptosis in cortex following traumatic brain injury[J]. J Mol Neurosci, 2013, 51(3):1021—1029.

本刊影响因子居国内同类期刊之首

据《2017年版中国科技期刊引证报告(核心版)》,2017年本刊的影响因子和总被引频次等主要期刊评价指标再创新高。影响因子为1.034,总被引频次为2860,综合评价总分为88.6。影响因子、总被引频次、综合评价总分均居国内同类期刊之首,其中综合评价总分在中国科技核心期刊数据库收录的2008种期刊中排名第22位。

感谢所有读者和作者对本刊的关注!感谢为本刊付出辛勤劳动的审稿专家团队和把握本刊导向的本刊主编团队!

《中国康复医学杂志》编辑部

